BRUHAT BANGALORE MAHANAGARA PALIKE

Name of Work: Improvements to CC roads and Drains at Defence colony, Havanoor Layout , Munikondappa Layout in Bagalgunte and Improvements to roads and Drains at 16th A cross 19th Cross and other cross roads at bagalgunte main road , improvements to cc roads surrounding of magnam school bhuvaneshwari nagara at bagalagunte ward no 14(2works)

Name of Agency : M/S. M.S.V. Construction Company

Estimate Cost : 200 Lakhs

Job Code No: 014-18-000343, 014-18-000344

Work order No: EE/DD/W.O/110/2020-21 Dated: 11-08-2020

Measurement recorded on: 01/07/21 to 28/07/21

Sl No.	Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
1	Earthwork excavation by manual means in ordinary soil involving an average horizontal throw upto 2 meters and an average lift upto 1.5 m, excavated surface leveled and sides neatly dressed, the disposed earth to be leveled neatly after breaking of clods complete as per specifications. MORTH / Chapter 3						
	For Kirloskar layout road to Amul ice-cream paralor end						
	Ch:0.00m to Ch: 5.00m	Cum	1	5.00	15.05	0.30	**22.58**
	Ch:5.00m to Ch: 35.00m		1	30.00	12.20	0.30	**109.80**
	Ch:35.00m to Ch: 60.00m		1	25.00	12.70	0.30	**95.25**
	Ch:60.00m to Ch: 90.00m		1	30.00	11.90	0.30	**107.10**
	Ch:90.00m to Ch: 120.00m		1	30.00	11.90	0.30	**107.10**
	Ch:120.00m to Ch: 150.00m		1	30.00	12.70	0.30	**114.30**
	Ch:150.00m to Ch: 180.00m		1	30.00	11.25	0.30	**101.25**
	Ch:180.00m to Ch: 210.00m		1	30.00	12.90	0.30	**116.10**
	Ch:210.00m to Ch: 240.00m		1	30.00	10.60	0.30	**95.40**
	Ch:240.00m to Ch: 270.00m		1	30.00	13.20	0.30	**118.80**
	Ch:270.00m to Ch: 300.00m		1	30.00	12.10	0.30	**108.90**
	Ch:300.00m to Ch: 330.00m		1	30.00	12.10	0.30	**108.90**
	Ch:330.00m to Ch: 360.00m		1	30.00	12.65	0.30	**113.85**
	Ch:360.00m to Ch: 390.00m		1	30.00	11.00	0.30	**99.00**
	Ch:390.00m to Ch: 420.00m		1	30.00	12.45	0.30	**112.05**
	Ch:420.00m to Ch: 428.50m		1	8.50	11.50	0.30	**29.33**
	Sri Ganesh temple Road						
	Ch:0.00m to Ch: 7.00m		2	7.00	13.15	0.30	**55.23**
	Ch:7.00m to Ch: 18.00m		2	11.00	12.50	0.30	**82.50**
	Ch:18.00m to Ch: 30.00m		2	12.00	6.70	0.30	**48.24**
	Ch:30.00m to Ch: 60.00m		2	30.00	6.30	0.30	**113.40**
	Ch:60.00m to Ch: 90.00m		2	30.00	6.40	0.30	**115.20**
	Ch:90.00m to Ch: 120.00m		2	30.00	5.20	0.30	**93.60**
	Ch:120.00m to Ch: 150.00m		2	30.00	6.80	0.30	**122.40**
	Ch:150.00m to Ch: 180.00m		2	30.00	6.55	0.30	**117.90**
	Ch:180.00m to Ch: 210.00m		2	30.00	7.10	0.30	**127.80**
	Ch:210.00m to Ch: 240.00m		2	30.00	7.10	0.30	**127.80**

Contractor

Assistant Engineer

Assistant Executive Engineer

Sl.	Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
	Ch:240.00m to Ch: 270.00m		2	30.00	6.20	0.30	111.60
	Ch:270.00m to Ch: 274.10m		2	4.10	6.90	0.30	16.97
	For MMH Road						
	Ch:0.00m to Ch: 15.00m		2	15.00	5.65	0.30	50.85
	Ch:15.00m to Ch: 30.00m		2	15.00	6.25	0.30	56.25
	Ch:30.00m to Ch: 60.00m		2	30.00	7.10	0.30	127.80
	Ch:60.00m to Ch: 90.00m		2	30.00	7.00	0.30	126.00
	Ch:90.00m to Ch: 120.00m		2	30.00	6.90	0.30	124.20
	Ch:120.00m to Ch: 150.00m		2	30.00	7.70	0.30	138.60
	Ch:150.00m to Ch: 180.00m		2	30.00	7.40	0.30	133.20
	Ch:180.00m to Ch: 210.00m		2	30.00	6.00	0.30	108.00
	Ch:210.00m to Ch: 221.80m		2	11.80	6.10	0.30	43.19
	5th Cross Road						
	Ch:0.00m to Ch: 30.00m		2	30.00	4.40	0.30	79.20
	Ch:30.00m to Ch: 60.00m		2	30.00	3.80	0.30	68.40
	Ch:60.00m to Ch: 81.00m		2	21.00	3.90	0.30	49.14
	For MHR Layout Road						
	Ch:0.00m to Ch: 85.00m		2	0.00	0.00	0.30	0.00
	Ch:85.00m to Ch: 90.00m		2	5.00	4.65	0.30	13.95
	Ch:90.00m to Ch: 120.00m		2	30.00	4.60	0.30	82.80
	Ch:120.00m to Ch: 150.00m		2	30.00	5.75	0.30	103.50
	Ch:150.00m to Ch: 180.00m		2	30.00	5.00	0.30	90.00
	Ch:180.00m to Ch: 196.60m		2	16.60	5.20	0.30	51.79
	Ch:196.60m to Ch: 213.60m		2	17.00	16.10	0.30	164.22
	Ch:213.60m to Ch: 240.00m		2	26.40	6.40	0.30	101.38
	Ch:240.00m to Ch: 270.00m		2	30.00	5.70	0.30	102.60
	Ch:270.00m to Ch: 300.00m		2	30.00	5.40	0.30	97.20
	Ch:300.00m to Ch: 330.00m		2	30.00	6.70	0.30	120.60
	Ch:330.00m to Ch: 360.00m		2	30.00	7.00	0.30	126.00
	Ch:360.00m to Ch: 390.00m		2	30.00	6.20	0.30	111.60
	Ch:390.00m to Ch: 420.00m		2	30.00	5.10	0.30	91.80
	Ch:420.00m to Ch: 450.00m		2	30.00	5.70	0.30	102.60
	Ch:450.00m to Ch: 467.50m		2	17.50	7.40	0.30	77.70
	Ch:467.50m to Ch: 473.70m			**Road Cross in SWD Drain**			
	Ch:473.70m to Ch: 500.00m		2	26.30	6.90	0.30	108.88
	Ch:500.00m to Ch: 530.00m		2	30.00	6.50	0.30	117.00
	For NMH Gobal School Road						
	Ch:0.00m to Ch: 30.00m		1	30.00	5.75	0.30	51.75
	Ch:30.00m to Ch: 60.00m		1	30.00	6.00	0.30	54.00
	Ch:85.00m to Ch: 90.00m		1	5.00	5.90	0.30	8.85
	Ch:90.00m to Ch: 120.00m		1	30.00	6.50	0.30	58.50

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
T. Dasarahalli Sub Division
Bagalagunte. BBMP
Bangalore-560073

Sl No.	Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
	Ch:120.00m to Ch: 150.00m		1	30.00	5.80	0.30	**52.20**
	Ch:150.00m to Ch: 180.00m		2	30.00	5.80	0.30	**104.40**
	Ch:180.00m to Ch: 210.0m		2	30.00	6.40	0.30	**115.20**
	Ch:210.00m to Ch: 240.00m		2	30.00	6.50	0.30	**117.00**
	Ch:240.00m to Ch: 270.00m		2	30.00	6.70	0.30	**120.60**
	Ch:270.00m to Ch: 300.00m		2	30.00	6.00	0.30	**108.00**
	Ch:300.00m to Ch: 330.00m		2	30.00	6.60	0.30	**118.80**
	Ch:330.00m to Ch: 360.00m		2	30.00	6.80	0.30	**122.40**
	Ch:360.00m to Ch: 364.00m		2	4.00	6.80	0.30	**16.32**
	Ch:364.00m to Ch: 390.00m		2	26.00	6.50	0.30	**101.40**
	Ch:390.00m to Ch: 420.00m		2	30.00	5.90	0.30	**106.20**
	Ch:420.00m to Ch: 450.00m		2	30.00	5.60	0.30	**100.80**
	Ch:450.00m to Ch: 453.40m		2	3.40	5.60	0.30	**11.42**
	1st Cross Siddeshwara layout						
	Ch:0.00m to Ch: 30.00m		2	30.00	4.30	0.30	**77.40**
	Ch:30.00m to Ch: 44.60m		2	14.60	4.30	0.30	**37.67**
	2nd Cross Siddeshwara layout						
	Ch:0.00m to Ch: 30.00m		2	30.00	4.35	0.30	**78.30**
	Ch:30.00m to Ch: 41.40m		2	11.40	4.00	0.30	**27.36**
	NMH Kalayana Mantapa Road						
	Ch:1905.00m to Ch: 1910.00m		1	5.00	8.90	0.30	**13.35**
	Ch:1910.00m to Ch: 1940.00m		1	30.00	5.80	0.30	**52.20**
	Ch:1940.00m to Ch: 1970.00m		1	30.00	7.00	0.30	**63.00**
	Ch:1970.00m to Ch: 2000.00m		1	30.00	7.90	0.30	**71.10**
	Ch:2000.00m to Ch: 2030.00m		1	30.00	5.70	0.30	**51.30**
	Ch:2030.00m to Ch: 2060.00m		1	30.00	6.30	0.30	**56.70**
	Ch:2060.00m to Ch: 2090.00m		1	30.00	7.15	0.30	**64.35**
	Ch:2090.00m to Ch: 2120.00m		1	30.00	6.70	0.30	**60.30**
	Ch:2120.00m to Ch: 2150.00m		1	30.00	7.50	0.30	**67.50**
	Ch:2150.00m to Ch: 2157.00m		1	7.00	7.70	0.30	**16.17**
	Ch:2157.00m to Ch: 2163.00m	6.00m	**Approch Concrete for SWD Culvert**				
	Ch:2163.00m to Ch: 2170.00m	7.00m	**SWD Culvert**				
	Ch:2170.00m to Ch: 2175.00m	5.00m	**Approch Concrete for SWD Culvert**				
	Ch:2175.00m to Ch: 2200.00m		1	25.00	5.95	0.30	**44.63**
	Ch:2200.00m to Ch: 2230.00m		1	30.00	6.10	0.30	**54.90**
	Ch:2230.00m to Ch: 2241.40m		1	11.00	8.65	0.30	**28.55**
	Siddeshwara temple road		1	30.00	6.50	0.30	**58.50**
			1	30.00	6.50	0.30	**58.50**
			1	25.00	6.50	0.30	**48.75**
	Siddeshwara temple 1st Cross		2	30.00	1.20	0.30	**21.60**
			2	30.00	1.20	0.30	**21.60**

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
T. Dasarahalli Sub Division
Bagalagunte BBMP
Bangalore-560073

Sl.	Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
	Siddeshwara temple 2nd cross		2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	19.00	1.20	0.30	13.68
						Total Qty	8412.83
						Schedule-B Qty	2342.58
						Upto125% Qty	585.64
						Above 125% Qty	5484.61
						Total Qty	8412.83

Measurement recorded on: 26/07/21 to 16/8/21

2	Providing, laying, spreading and compacting crushed stone aggregates of granite / trap / basalt to wet mix macadam specifications including pre mixing the material with water at OMC in mechanical mix plant carriage of mixed method of tipper to site, laying in uniform layers with paver in sub-base/base course on well prepared surface and compacting with vibratory roller to achieve the desired density complete as per specifications. MORTH Specification No. 406						
		Cum					
	Ch:0.00m to Ch: 5.00m		1	5.00	15.05	0.20	15.05
	Ch:5.00m to Ch: 35.00m		1	30.00	12.20	0.20	73.20
	Ch:35.00m to Ch: 60.00m		1	25.00	12.70	0.20	63.50
	Ch:60.00m to Ch: 90.00m		1	30.00	11.90	0.20	71.40
	Ch:90.00m to Ch: 120.00m		1	30.00	11.90	0.20	71.40
	Ch:120.00m to Ch: 150.00m		1	30.00	12.70	0.20	76.20

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
T. D... Division
B...
Bangalore 560073

Sl.	Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
	Ch:150.00m to Ch: 180.00m		1	30.00	11.25	0.20	67.50
	Ch:180.00m to Ch: 210.00m		1	30.00	12.90	0.20	77.40
	Ch:210.00m to Ch: 240.00m		1	30.00	10.60	0.20	63.60
	Ch:240.00m to Ch: 270.00m		1	30.00	13.20	0.20	79.20
	Ch:270.00m to Ch: 300.00m		1	30.00	12.10	0.20	72.60
	Ch:300.00m to Ch: 330.00m		1	30.00	12.10	0.20	72.60
	Ch:330.00m to Ch: 360.00m		1	30.00	12.65	0.20	75.90
	Ch:360.00m to Ch: 390.00m		1	30.00	11.00	0.20	66.00
	Ch:390.00m to Ch: 420.00m		1	30.00	12.45	0.20	74.70
	Ch:420.00m to Ch: 428.50m		1	8.50	11.50	0.20	19.55
	Sri Ganesh temple Road						
	Ch:0.00m to Ch: 7.00m		2	7.00	1.20	0.20	3.36
	Ch:7.00m to Ch: 18.00m		2	11.00	1.20	0.20	5.28
	Ch:18.00m to Ch: 30.00m		2	12.00	1.20	0.20	5.76
	Ch:30.00m to Ch: 60.00m		2	30.00	1.20	0.20	14.40
	Ch:60.00m to Ch: 90.00m		2	30.00	1.20	0.20	14.40
	Ch:90.00m to Ch: 120.00m		2	30.00	1.20	0.20	14.40
	Ch:120.00m to Ch: 150.00m		2	30.00	1.20	0.20	14.40
	Ch:150.00m to Ch: 180.00m		2	30.00	1.20	0.20	14.40
	Ch:180.00m to Ch: 210.00m		2	30.00	1.20	0.20	14.40
	Ch:210.00m to Ch: 240.00m		2	30.00	1.20	0.20	14.40
	Ch:240.00m to Ch: 270.00m		2	30.00	1.20	0.20	14.40
	Ch:270.00m to Ch: 274.10m		2	4.10	1.20	0.20	1.97
	For MMH Road						
	Ch:0.00m to Ch: 15.00m		2	15.00	1.20	0.20	7.20
	Ch:15.00m to Ch: 30.00m		2	15.00	1.20	0.20	7.20
	Ch:30.00m to Ch: 60.00m		2	30.00	1.20	0.20	14.40
	Ch:60.00m to Ch: 90.00m		2	30.00	1.20	0.20	14.40
	Ch:90.00m to Ch: 120.00m		2	30.00	1.20	0.20	14.40
	Ch:120.00m to Ch: 150.00m		2	30.00	1.20	0.20	14.40
	Ch:150.00m to Ch: 180.00m		2	30.00	1.20	0.20	14.40
	Ch:180.00m to Ch: 210.00m		2	30.00	1.20	0.20	14.40
	Ch:210.00m to Ch: 221.80m		2	11.80	1.20	0.20	5.66
	5th Cross Road						
	Ch:0.00m to Ch: 30.00m		2	30.00	1.20	0.20	14.40
	Ch:30.00m to Ch: 60.00m		2	30.00	1.20	0.20	14.40
	Ch:60.00m to Ch: 81.00m		2	21.00	1.20	0.20	10.08
	For MHR Layout						
	Ch:0.00m to Ch: 85.00m		Existing Road				
	Ch:85.00m to Ch: 90.00m		2	5.00	1.20	0.20	2.40
	Ch:90.00m to Ch: 120.00m		2	30.00	1.20	0.20	14.40

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
T. D... Division
B...BMP
...0073

Sl.	Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
	Ch:120.00m to Ch: 150.00m		2	30.00	1.20	0.20	14.40
	Ch:150.00m to Ch: 180.00m		2	30.00	1.20	0.20	14.40
	Ch:180.00m to Ch: 196.60m		2	16.60	1.20	0.20	7.97
	Ch:196.60m to Ch: 213.60m		2	17.00	1.20	0.20	8.16
	Ch:213.60m to Ch: 240.00m		2	26.40	1.20	0.20	12.67
	Ch:240.00m to Ch: 270.00m		2	30.00	1.20	0.20	14.40
	Ch:270.00m to Ch: 300.00m		2	30.00	1.20	0.20	14.40
	Ch:300.00m to Ch: 330.00m		2	30.00	1.20	0.20	14.40
	Ch:330.00m to Ch: 360.00m		2	30.00	1.20	0.20	14.40
	Ch:360.00m to Ch: 390.00m		2	30.00	1.20	0.20	14.40
	Ch:390.00m to Ch: 420.00m		2	30.00	1.20	0.20	14.40
	Ch:420.00m to Ch: 450.00m		2	30.00	1.20	0.20	14.40
	Ch:450.00m to Ch: 467.50m		2	17.50	1.20	0.20	8.40
	Ch:467.50m to Ch: 473.70m			Road Cross in Swd Drain			
	Ch:473.70m to Ch: 500.00m		2	26.30	1.20	0.20	12.62
	Ch:500.00m to Ch: 530.00m		2	30.00	1.20	0.20	14.40
	For NMH Gobal School Road						
	Ch:0.00m to Ch: 30.00m		2	30.00	1.20	0.20	14.40
	Ch:30.00m to Ch: 60.00m		2	30.00	1.20	0.20	14.40
	Ch:85.00m to Ch: 90.00m		2	5.00	1.20	0.20	2.40
	Ch:90.00m to Ch: 120.00m		2	30.00	1.20	0.20	14.40
	Ch:120.00m to Ch: 150.00m		2	30.00	1.20	0.20	14.40
	Ch:150.00m to Ch: 180.00m		2	30.00	1.20	0.20	14.40
	Ch:180.00m to Ch: 210.0m		2	30.00	1.20	0.20	14.40
	Ch:210.00m to Ch: 240.00m		2	30.00	1.20	0.20	14.40
	Ch:240.00m to Ch: 270.00m		2	30.00	1.20	0.20	14.40
	Ch:270.00m to Ch: 300.00m		2	30.00	1.20	0.20	14.40
	Ch:300.00m to Ch: 330.00m		2	30.00	1.20	0.20	14.40
	Ch:330.00m to Ch: 360.00m		2	30.00	1.20	0.20	14.40
	Ch:360.00m to Ch: 364.00m		2	4.00	1.20	0.20	1.92
	Ch:364.00m to Ch: 390.00m		2	26.00	1.20	0.20	12.48
	Ch:390.00m to Ch: 420.00m		2	30.00	1.20	0.20	14.40
	Ch:420.00m to Ch: 450.00m		2	30.00	1.20	0.20	14.40
	Ch:450.00m to Ch: 453.40m		2	3.40	1.20	0.20	1.63
	1st Cross Siddeshwara layout						
	Ch:0.00m to Ch: 30.00m		2	30.00	1.20	0.20	14.40
	Ch:30.00m to Ch: 44.60m		2	14.60	1.20	0.20	7.01
	2nd Cross Siddeshwara layout						
	Ch:0.00m to Ch: 30.00m		2	30.00	1.20	0.20	14.40
	Ch:30.00m to Ch: 41.40m		2	11.40	1.20	0.20	5.47
	NMH Kalayana Mantapa Road						

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
T. Dasarahalli Sub Division
BBMP
Bangalore-560073

Sl.	Description of work	Unit	Nos	Length	Breadth	Depth	Quantity
				m	m	m	
	Ch:1905.00m to Ch: 1910.00m		2	5.00	1.50	0.20	3.00
	Ch:1910.00m to Ch: 1940.00m		2	30.00	1.50	0.20	18.00
	Ch:1940.00m to Ch: 1970.00m		2	30.00	1.50	0.20	18.00
	Ch:1970.00m to Ch: 2000.00m		2	30.00	1.50	0.20	18.00
	Ch:2000.00m to Ch: 2030.00m		2	30.00	1.50	0.20	18.00
	Ch:2030.00m to Ch: 2060.00m		2	30.00	1.50	0.20	18.00
	Ch:2060.00m to Ch: 2090.00m		2	30.00	1.50	0.20	18.00
	Ch:2090.00m to Ch: 2120.00m		2	30.00	1.50	0.20	18.00
	Ch:2120.00m to Ch: 2150.00m		2	30.00	1.50	0.20	18.00
	Ch:2150.00m to Ch: 2157.00m		2	7.00	1.50	0.20	4.20
	Ch:2157.00m to Ch: 2163.00m	6.00m	Approch Concrete for SWD Culvert				
	Ch:2163.00m to Ch: 2170.00m	7.00m	SWD Culvert				
	Ch:2170.00m to Ch: 2175.00m	5.00m	Approch Concrete for SWD Culvert				
	Ch:2175.00m to Ch: 2200.00m		2	25.00	1.50	0.20	15.00
	Ch:2200.00m to Ch: 2230.00m		2	30.00	1.50	0.20	18.00
	Ch:2230.00m to Ch: 2241.40m		2	11.00	1.50	0.20	6.60
	Siddeshwara temple road		2	30.00	1.20	0.20	14.40
			2	30.00	1.20	0.20	14.40
			2	25.00	1.20	0.20	12.00
	Siddeshwara temple 1st Cross		2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
	Siddeshwara temple 2nd cross		2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
T. Das... Division
B...
...

Sl.	Description of work	Unit	Nos	Length	Breadth	Depth	Quantity
				m	m	m	
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	30.00	1.20	0.30	21.60
			2	19.00	1.20	0.30	13.68
						Total Qty	2559.53
						Schedule-B Qty	871.16
						Upto125% Qty	217.79
						Above 125% Qty	1470.58
						Total Qty	2559.53

Measurement recorded on: 16/8/14 to 8/11/14

KSRRB M500-6. Providing and applying primer coat with S.S. bitumen emulsion on prepared surface of granular base such as WMM including cleaning of road surface and spraying primer at the rate of 0.60 kg / sqm using mechanical means complete as per specifications. MORTH Specification No. 502

	Sqm					
Ch:0.00m to Ch: 5.00m		1	5.00	15.05		75.25
Ch:5.00m to Ch: 35.00m		1	30.00	12.20		366.00
Ch:35.00m to Ch: 60.00m		1	25.00	12.70		317.50
Ch:60.00m to Ch: 90.00m		1	30.00	11.90		357.00
Ch:90.00m to Ch: 120.00m		1	30.00	11.90		357.00
Ch:120.00m to Ch: 150.00m		1	30.00	12.70		381.00
Ch:150.00m to Ch: 180.00m		1	30.00	11.25		337.50
Ch:180.00m to Ch: 210.00m		1	30.00	12.90		387.00
Ch:210.00m to Ch: 240.00m		1	30.00	10.60		318.00
Ch:240.00m to Ch: 270.00m		1	30.00	13.20		396.00
Ch:270.00m to Ch: 300.00m		1	30.00	12.10		363.00
Ch:300.00m to Ch: 330.00m		1	30.00	12.10		363.00
Ch:330.00m to Ch: 360.00m		1	30.00	12.65		379.50
Ch:360.00m to Ch: 390.00m		1	30.00	11.00		330.00
Ch:390.00m to Ch: 420.00m		1	30.00	12.45		373.50
Ch:420.00m to Ch: 428.50m		1	8.50	11.50		97.75
Sri Ganesh temple Road						
Ch:0.00m to Ch: 7.00m		2	7.00	1.20		16.80
Ch:7.00m to Ch: 18.00m		2	11.00	1.20		26.40
Ch:18.00m to Ch: 30.00m		2	12.00	1.20		28.80
Ch:30.00m to Ch: 60.00m		2	30.00	1.20		72.00
Ch:60.00m to Ch: 90.00m		2	30.00	1.20		72.00
Ch:90.00m to Ch: 120.00m		2	30.00	1.20		72.00
Ch:120.00m to Ch: 150.00m		2	30.00	1.20		72.00
Ch:150.00m to Ch: 180.00m		2	30.00	1.20		72.00
Ch:180.00m to Ch: 210.00m		2	30.00	1.20		72.00
Ch:210.00m to Ch: 240.00m		2	30.00	1.20		72.00

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
T. Dasarahalli Sub Division
Bagalagunte BBMP
Bangalore-560073

Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
Ch:240.00m to Ch: 270.00m		2	30.00	1.20		72.00
Ch:270.00m to Ch: 274.10m		2	4.10	1.20		9.84
For MMH Road						
Ch:0.00m to Ch: 15.00m		2	15.00	1.20		36.00
Ch:15.00m to Ch: 30.00m		2	15.00	1.20		36.00
Ch:30.00m to Ch: 60.00m		2	30.00	1.20		72.00
Ch:60.00m to Ch: 90.00m		2	30.00	1.20		72.00
Ch:90.00m to Ch: 120.00m		2	30.00	1.20		72.00
Ch:120.00m to Ch: 150.00m		2	30.00	1.20		72.00
Ch:150.00m to Ch: 180.00m		2	30.00	1.20		72.00
Ch:180.00m to Ch: 210.00m		2	30.00	1.20		72.00
Ch:210.00m to Ch: 221.80m		2	11.80	1.20		28.32
5th Cross Road						
Ch:0.00m to Ch: 30.00m		2	30.00	1.20		72.00
Ch:30.00m to Ch: 60.00m		2	30.00	1.20		72.00
Ch:60.00m to Ch: 81.00m		2	21.00	1.20		50.40
For MHR Layout						
Ch:0.00m to Ch: 85.00m		2	0.00	0.00		0.00
Ch:85.00m to Ch: 90.00m		2	5.00	1.20		12.00
Ch:90.00m to Ch: 120.00m		2	30.00	1.20		72.00
Ch:120.00m to Ch: 150.00m		2	30.00	1.20		72.00
Ch:150.00m to Ch: 180.00m		2	30.00	1.20		72.00
Ch:180.00m to Ch: 196.60m		2	16.60	1.20		39.84
Ch:196.60m to Ch: 213.60m		2	17.00	1.20		40.80
Ch:213.60m to Ch: 240.00m		2	26.40	1.20		63.36
Ch:240.00m to Ch: 270.00m		2	30.00	1.20		72.00
Ch:270.00m to Ch: 300.00m		2	30.00	1.20		72.00
Ch:300.00m to Ch: 330.00m		2	30.00	1.20		72.00
Ch:330.00m to Ch: 360.00m		2	30.00	1.20		72.00
Ch:360.00m to Ch: 390.00m		2	30.00	1.20		72.00
Ch:390.00m to Ch: 420.00m		2	30.00	1.20		72.00
Ch:420.00m to Ch: 450.00m		2	30.00	1.20		72.00
Ch:450.00m to Ch: 467.50m		2	17.50	1.20		42.00
Ch:473.70m to Ch: 500.00m			Road Cross in Swd Drain			
Ch:500.00m to Ch: 530.00m		2	26.30	1.20		63.12
For NMH Gobal School Road		2	30.00	1.20		72.00
Ch:0.00m to Ch: 30.00m		2	30.00	1.20		72.00
Ch:30.00m to Ch: 60.00m		2	30.00	1.20		72.00
Ch:85.00m to Ch: 90.00m		2	5.00	1.20		12.00
Ch:90.00m to Ch: 120.00m		2	30.00	1.20		72.00

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
T. D...

Sl.	Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
	Ch:120.00m to Ch: 150.00m		2	30.00	1.20		72.00
	Ch:150.00m to Ch: 180.00m		2	30.00	1.20		72.00
	Ch:180.00m to Ch: 210.0m		2	30.00	1.20		72.00
	Ch:210.00m to Ch: 240.00m		2	30.00	1.20		72.00
	Ch:240.00m to Ch: 270.00m		2	30.00	1.20		72.00
	Ch:270.00m to Ch: 300.00m		2	30.00	1.20		72.00
	Ch:300.00m to Ch: 330.00m		2	30.00	1.20		72.00
	Ch:330.00m to Ch: 360.00m		2	30.00	1.20		72.00
	Ch:360.00m to Ch: 364.00m		2	4.00	1.20		9.60
	Ch:364.00m to Ch: 390.00m		2	26.00	1.20		62.40
	Ch:390.00m to Ch: 420.00m		2	30.00	1.20		72.00
	Ch:420.00m to Ch: 450.00m		2	30.00	1.20		72.00
	Ch:450.00m to Ch: 453.40m		2	3.40	1.20		8.16
	1st Cross Siddeshwara layout						
	Ch:0.00m to Ch: 30.00m		2	30.00	1.20		72.00
	Ch:30.00m to Ch: 44.60m		2	14.60	1.20		35.04
	2nd Cross Siddeshwara layout						
	Ch:0.00m to Ch: 30.00m		2	30.00	1.20		72.00
	Ch:30.00m to Ch: 41.40m		2	11.40	1.20		27.36
	NMH Kalayana Mantapa Road						
	Ch:1905.00m to Ch: 1910.00m		2	5.00	1.50		15.00
	Ch:1910.00m to Ch: 1940.00m		2	30.00	1.50		90.00
	Ch:1940.00m to Ch: 1970.00m		2	30.00	1.50		90.00
	Ch:1970.00m to Ch: 2000.00m		2	30.00	1.50		90.00
	Ch:2000.00m to Ch: 2030.00m		2	30.00	1.50		90.00
	Ch:2030.00m to Ch: 2060.00m		2	30.00	1.50		90.00
	Ch:2060.00m to Ch: 2090.00m		2	30.00	1.50		90.00
	Ch:2090.00m to Ch: 2120.00m		2	30.00	1.50		90.00
	Ch:2120.00m to Ch: 2150.00m		2	30.00	1.50		90.00
	Ch:2150.00m to Ch: 2157.00m		2	7.00	1.50		21.00
	Ch:2157.00m to Ch: 2163.00m	6.00m	Approch Concrete for SWD Culvert				
	Ch:2163.00m to Ch: 2170.00m	7.00m	SWD Culvert				
	Ch:2170.00m to Ch: 2175.00m	5.00m	Approch Concrete for SWD Culvert				
	Ch:2175.00m to Ch: 2200.00m		2	25.00	1.50		75.00
	Ch:2200.00m to Ch: 2230.00m		2	30.00	1.50		90.00
	Ch:2230.00m to Ch: 2241.40m		2	11.00	1.50		33.00
	Siddeshwara temple road		2	30.00	1.20		72.00
			2	30.00	1.20		72.00
			2	25.00	1.20		60.00
	Siddeshwara temple 1st Cross		2	30.00	1.20		72.00
			2	30.00	1.20		72.00

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
T. Dasarahalli Sub Division
Bagalagunte, BBMP
Bangalore-560073

Sl.	Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
			2	30.00	1.20		72.00
			2	30.00	1.20		72.00
			2	30.00	1.20		72.00
			2	30.00	1.20		72.00
			2	30.00	1.20		72.00
			2	30.00	1.20		72.00
			2	30.00	1.20		72.00
	Siddeshwara temple 2nd cross		2	30.00	1.20		72.00
			2	30.00	1.20		72.00
			2	30.00	1.20		72.00
			2	30.00	1.20		72.00
			2	30.00	1.20		72.00
			2	30.00	1.20		72.00
			2	30.00	1.20		72.00
			2	30.00	1.20		72.00
			2	30.00	1.20		72.00
			2	30.00	1.20		72.00
			2	30.00	1.20		72.00
			2	30.00	1.20		72.00
			2	30.00	1.20		72.00
			2	30.00	1.20		72.00
			2	30.00	1.20		72.00
			2	30.00	1.20		72.00
			2	30.00	1.20		72.00
			2	19.00	1.20		45.60
						Total Qty	11874.84
						Schedule-B Qty	5396.90
						Upto125% Qty	1349.22
						Above 125% Qty	5128.72
						Total Qty	11874.84

Measurement recorded on: 16/8/21 to 8/11/21

4	KSRRB 500-2. Cleaning the existing black topped surface with brooms, soft brushes and finally dusting with old gunny bags and / or compressed air to receive bituminous treatment including cost of all materials, labour, HOM of machineries complete as per specifications. MORTH specification clause 501						
		Sqm					
	Ch:0.00m to Ch: 5.00m		1	5.00	15.05		75.25
	Ch:5.00m to Ch: 35.00m		1	30.00	12.20		366.00
	Ch:35.00m to Ch: 60.00m		1	25.00	12.70		317.50
	Ch:60.00m to Ch: 90.00m		1	30.00	11.90		357.00
	Ch:90.00m to Ch: 120.00m		1	30.00	11.90		357.00
	Ch:120.00m to Ch: 150.00m		1	30.00	12.70		381.00
	Ch:150.00m to Ch: 180.00m		1	30.00	11.25		337.50

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
T. Dasarahalli Sub Division
Bagalagunte, BBMP
Bangalore-560073

Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
Ch:180.00m to Ch: 210.00m		1	30.00	12.90		387.00
Ch:210.00m to Ch: 240.00m		1	30.00	10.60		318.00
Ch:240.00m to Ch: 270.00m		1	30.00	13.20		396.00
Ch:270.00m to Ch: 300.00m		1	30.00	12.10		363.00
Ch:300.00m to Ch: 330.00m		1	30.00	12.10		363.00
Ch:330.00m to Ch: 360.00m		1	30.00	12.65		379.50
Ch:360.00m to Ch: 390.00m		1	30.00	11.00		330.00
Ch:390.00m to Ch: 420.00m		1	30.00	12.45		373.50
Ch:420.00m to Ch: 428.50m		1	8.50	11.50		97.75
Sri Ganesh temple Road						
Ch:0.00m to Ch: 7.00m		1	7.00	13.15		92.05
Ch:7.00m to Ch: 18.00m		1	11.00	12.50		137.50
Ch:18.00m to Ch: 30.00m		1	12.00	6.70		80.40
Ch:30.00m to Ch: 60.00m		1	30.00	6.30		189.00
Ch:60.00m to Ch: 90.00m		1	30.00	6.40		192.00
Ch:90.00m to Ch: 120.00m		1	30.00	5.20		156.00
Ch:120.00m to Ch: 150.00m		1	30.00	6.80		204.00
Ch:150.00m to Ch: 180.00m		1	30.00	6.55		196.50
Ch:180.00m to Ch: 210.00m		1	30.00	7.10		213.00
Ch:210.00m to Ch: 240.00m		1	30.00	7.10		213.00
Ch:240.00m to Ch: 270.00m		1	30.00	6.20		186.00
Ch:270.00m to Ch: 274.10m		1	4.10	6.90		28.29
For MMH Road						
Ch:0.00m to Ch: 15.00m		1	15.00	5.65		84.75
Ch:15.00m to Ch: 30.00m		1	15.00	6.25		93.75
Ch:30.00m to Ch: 60.00m		1	30.00	7.10		213.00
Ch:60.00m to Ch: 90.00m		1	30.00	7.00		210.00
Ch:90.00m to Ch: 120.00m		1	30.00	6.90		207.00
Ch:120.00m to Ch: 150.00m		1	30.00	7.70		231.00
Ch:150.00m to Ch: 180.00m		1	30.00	7.40		222.00
Ch:180.00m to Ch: 210.00m		1	30.00	6.00		180.00
Ch:210.00m to Ch: 221.80m		1	11.80	6.10		71.98
5th Cross Road						
Ch:0.00m to Ch: 30.00m		1	30.00	4.40		132.00
Ch:30.00m to Ch: 60.00m		1	30.00	3.80		114.00
Ch:60.00m to Ch: 81.00m		1	21.00	3.90		81.90
For MHR Layout						
Ch:0.00m to Ch: 85.00m		1	0.00	0.00		0.00
Ch:85.00m to Ch: 90.00m		1	5.00	4.65		23.25
Ch:90.00m to Ch: 120.00m		1	30.00	4.60		138.00
Ch:120.00m to Ch: 150.00m		1	30.00	5.75		172.50

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
T. Dasarahalli Sub Division
Bagalagunte, BBMP

Sl.	Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
	Ch:150.00m to Ch: 180.00m		1	30.00	5.00		150.00
	Ch:180.00m to Ch: 196.60m		1	16.60	5.20		86.32
	Ch:196.60m to Ch: 213.60m		1	17.00	16.10		273.70
	Ch:213.60m to Ch: 240.00m		1	26.40	6.40		168.96
	Ch:240.00m to Ch: 270.00m		1	30.00	5.70		171.00
	Ch:270.00m to Ch: 300.00m		1	30.00	5.40		162.00
	Ch:300.00m to Ch: 330.00m		1	30.00	6.70		201.00
	Ch:330.00m to Ch: 360.00m		1	30.00	7.00		210.00
	Ch:360.00m to Ch: 390.00m		1	30.00	6.20		186.00
	Ch:390.00m to Ch: 420.00m		1	30.00	5.10		153.00
	Ch:420.00m to Ch: 450.00m		1	30.00	5.70		171.00
	Ch:450.00m to Ch: 467.50m		1	17.50	7.40		129.50
	Ch:467.50m to Ch: 473.70m			Road Cross in Swd Drain			
	Ch:473.70m to Ch: 500.00m		1	26.30	6.90		181.47
	Ch:500.00m to Ch: 530.00m		1	30.00	6.50		195.00
	For NMH Gobal School Road						
	Ch:0.00m to Ch: 30.00m		1	30.00	5.75		172.50
	Ch:30.00m to Ch: 60.00m		1	30.00	6.00		180.00
	Ch:85.00m to Ch: 90.00m		1	5.00	5.90		29.50
	Ch:90.00m to Ch: 120.00m		1	30.00	6.50		195.00
	Ch:120.00m to Ch: 150.00m		1	30.00	5.80		174.00
	Ch:150.00m to Ch: 180.00m		1	30.00	5.80		174.00
	Ch:180.00m to Ch: 210.0m		1	30.00	6.40		192.00
	Ch:210.00m to Ch: 240.00m		1	30.00	6.50		195.00
	Ch:240.00m to Ch: 270.00m		1	30.00	6.70		201.00
	Ch:270.00m to Ch: 300.00m		1	30.00	6.00		180.00
	Ch:300.00m to Ch: 330.00m		1	30.00	6.60		198.00
	Ch:330.00m to Ch: 360.00m		1	30.00	6.80		204.00
	Ch:360.00m to Ch: 364.00m		1	4.00	6.80		27.20
	Ch:364.00m to Ch: 390.00m		1	26.00	6.50		169.00
	Ch:390.00m to Ch: 420.00m		1	30.00	5.90		177.00
	Ch:420.00m to Ch: 450.00m		1	30.00	5.60		168.00
	Ch:450.00m to Ch: 453.40m		1	3.40	5.60		19.04
	1st Cross Siddeshwara layout						
	Ch:0.00m to Ch: 30.00m		1	30.00	4.30		129.00
	Ch:30.00m to Ch: 44.60m		1	14.60	4.30		62.78
	2nd Cross Siddeshwara layout						
	Ch:0.00m to Ch: 30.00m		1	30.00	4.35		130.50
	Ch:30.00m to Ch: 41.40m		1	11.40	4.00		45.60
	NMH Kalayana Mantapa Road						
	Ch:1905.00m to Ch: 1910.00m		1	5.00	8.90		44.50

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
T. Dasarahalli Sub Division
Bagalagunte. BBMP

Sl.	Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
	Ch:1910.00m to Ch: 1940.00m		1	30.00	5.80		174.00
	Ch:1940.00m to Ch: 1970.00m		1	30.00	7.00		210.00
	Ch:1970.00m to Ch: 2000.00m		1	30.00	7.90		237.00
	Ch:2000.00m to Ch: 2030.00m		1	30.00	5.70		171.00
	Ch:2030.00m to Ch: 2060.00m		1	30.00	6.30		189.00
	Ch:2060.00m to Ch: 2090.00m		1	30.00	7.15		214.50
	Ch:2090.00m to Ch: 2120.00m		1	30.00	6.70		201.00
	Ch:2120.00m to Ch: 2150.00m		1	30.00	7.50		225.00
	Ch:2150.00m to Ch: 2157.00m		1	7.00	7.70		53.90
	Ch:2157.00m to Ch: 2163.00m	6.00m	Approch Concrete for SWD Culvert				
	Ch:2163.00m to Ch: 2170.00m	7.00m	SWD Culvert				
	Ch:2170.00m to Ch: 2175.00m	5.00m	Approch Concrete for SWD Culvert				
	Ch:2175.00m to Ch: 2200.00m		1	25.00	5.95		148.75
	Ch:2200.00m to Ch: 2230.00m		1	30.00	6.10		183.00
	Ch:2230.00m to Ch: 2241.40m		1	11.00	8.65		95.15
	Siddeshwara temple road		1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	25.00	6.50		162.50
	Siddeshwara temple 1st Cross		1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
	Siddeshwara temple 2nd cross		1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
T. Dasarahalli Sub Division
Bagalagunte, BBMP

Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
			30.00	4.30		386.00
			30.00	4.30		386.00
			14.00	4.30		123.50
					Total Qty	2242.76
					Schedule-B Qty	1916.24
					Upto 1.25% Qty	1256.52
					Above 1.25% Qty	659.72
					Total Qty	2242.76

Measurement recorded on: 30 to 31-03-22

KSHRDP 506.7 Providing and applying tack coat using 80/20 grade bitumen VG-30 in the proposed black topped surface at 2.5 kg per 10 sqm. heating bitumen in boiler fitted with stirrer arr. excluding cleaning of road surface including cost of all materials labour EOM of machineries complete as per specifications MORTH Chapter 5

	Sqm				
Ch:0.00m to Ch: 5.00m	1	5.00	15.15		75.25
Ch:5.00m to Ch: 35.00m	1	31.00	12.20		366.00
Ch:35.00m to Ch: 60.00m	1	25.00	12.70		317.50
Ch:60.00m to Ch: 90.00m	1	31.00	11.90		357.00
Ch:90.00m to Ch: 120.00m	1	31.00	11.90		357.00
Ch:120.00m to Ch: 150.00m	1	31.00	12.70		381.00
Ch:150.00m to Ch: 180.00m	1	31.00	11.25		337.50
Ch:180.00m to Ch: 210.00m	1	31.00	12.90		387.00
Ch:210.00m to Ch: 240.00m	1	31.00	11.85		315.00
Ch:240.00m to Ch: 270.00m	1	31.00	13.20		396.00
Ch:270.00m to Ch: 300.00m	1	31.00	12.20		365.00
Ch:300.00m to Ch: 330.00m	1	31.00	12.20		365.00
Ch:330.00m to Ch: 360.00m	1	30.00	12.65		379.50
Ch:360.00m to Ch: 390.00m	1	30.00	11.00		330.00
Ch:390.00m to Ch: 420.00m	1	30.00	12.45		373.50
Ch:420.00m to Ch: 428.50m	1	8.50	11.50		97.75
Sri Ganesh temple Road					
Ch:0.00m to Ch: 7.00m	1	7.00	13.15		92.05
Ch:7.00m to Ch: 18.00m	1	11.00	12.50		137.50
Ch:18.00m to Ch: 30.00m	1	12.00	6.70		80.40
Ch:30.00m to Ch: 60.00m	1	30.00	6.30		189.00
Ch:60.00m to Ch: 90.00m	1	30.00	6.40		192.00
Ch:90.00m to Ch: 120.00m	1	30.00	5.20		156.00
Ch:120.00m to Ch: 150.00m	1	30.00	6.80		204.00
Ch:150.00m to Ch: 180.00m	1	30.00	6.55		196.50
Ch:180.00m to Ch: 210.00m	1	30.00	7.10		213.00
Ch:210.00m to Ch: 240.00m	1	30.00	7.10		213.00
Ch:240.00m to Ch: 270.00m	1	30.00	6.20		186.00

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
T Dasarahalli Sub Division
Bangalaguntte BBMP

Sl.	Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
	Ch:270.00m to Ch: 274.10m		1	4.10	6.90		28.29
	For MMH Road						
	Ch:0.00m to Ch: 15.00m		1	15.00	5.65		84.75
	Ch:15.00m to Ch: 30.00m		1	15.00	6.25		93.75
	Ch:30.00m to Ch: 60.00m		1	30.00	7.10		213.00
	Ch:60.00m to Ch: 90.00m		1	30.00	7.00		210.00
	Ch:90.00m to Ch: 120.00m		1	30.00	6.90		207.00
	Ch:120.00m to Ch: 150.00m		1	30.00	7.70		231.00
	Ch:150.00m to Ch: 180.00m		1	30.00	7.40		222.00
	Ch:180.00m to Ch: 210.00m		1	30.00	6.00		180.00
	Ch:210.00m to Ch: 221.80m		1	11.80	6.10		71.98
	5th Cross Road						
	Ch:0.00m to Ch: 30.00m		1	30.00	4.40		132.00
	Ch:30.00m to Ch: 60.00m		1	30.00	3.80		114.00
	Ch:60.00m to Ch: 81.00m		1	21.00	3.90		81.90
	For MHR Layout						
	Ch:0.00m to Ch: 85.00m		1	0.00	0.00		**0.00**
	Ch:85.00m to Ch: 90.00m		1	5.00	4.65		**23.25**
	Ch:90.00m to Ch: 120.00m		1	30.00	4.60		**138.00**
	Ch:120.00m to Ch: 150.00m		1	30.00	5.75		**172.50**
	Ch:150.00m to Ch: 180.00m		1	30.00	5.00		**150.00**
	Ch:180.00m to Ch: 196.60m		1	16.60	5.20		**86.32**
	Ch:196.60m to Ch: 213.60m		1	17.00	16.10		**273.70**
	Ch:213.60m to Ch: 240.00m		1	26.40	6.40		**168.96**
	Ch:240.00m to Ch: 270.00m		1	30.00	5.70		**171.00**
	Ch:270.00m to Ch: 300.00m		1	30.00	5.40		**162.00**
	Ch:300.00m to Ch: 330.00m		1	30.00	6.70		**201.00**
	Ch:330.00m to Ch: 360.00m		1	30.00	7.00		**210.00**
	Ch:360.00m to Ch: 390.00m		1	30.00	6.20		**186.00**
	Ch:390.00m to Ch: 420.00m		1	30.00	5.10		**153.00**
	Ch:420.00m to Ch: 450.00m		1	30.00	5.70		**171.00**
	Ch:450.00m to Ch: 467.50m		1	17.50	7.40		**129.50**
	Ch:467.50m to Ch: 473.70m			Road Cross in Swd Drain			
	Ch:473.70m to Ch: 500.00m		1	26.30	6.90		**181.47**
	Ch:500.00m to Ch: 530.00m		1	30.00	6.50		**195.00**
	For NMH Gobal School Road						
	Ch:0.00m to Ch: 30.00m		1	30.00	5.75		**172.50**
	Ch:30.00m to Ch: 60.00m		1	30.00	6.00		**180.00**
	Ch:85.00m to Ch: 90.00m		1	5.00	5.90		**29.50**
	Ch:90.00m to Ch: 120.00m		1	30.00	6.50		**195.00**
	Ch:120.00m to Ch: 150.00m		1	30.00	5.80		**174.00**

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
T. Dasarahalli Sub Division
Bagalagunte, BBMP

Sl.	Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
	Ch:150.00m to Ch: 180.00m		1	30.00	5.80		174.00
	Ch:180.00m to Ch: 210.0m		1	30.00	6.40		192.00
	Ch:210.00m to Ch: 240.00m		1	30.00	6.50		195.00
	Ch:240.00m to Ch: 270.00m		1	30.00	6.70		201.00
	Ch:270.00m to Ch: 300.00m		1	30.00	6.00		180.00
	Ch:300.00m to Ch: 330.00m		1	30.00	6.60		198.00
	Ch:330.00m to Ch: 360.00m		1	30.00	6.80		204.00
	Ch:360.00m to Ch: 364.00m		1	4.00	6.80		27.20
	Ch:364.00m to Ch: 390.00m		1	26.00	6.50		169.00
	Ch:390.00m to Ch: 420.00m		1	30.00	5.90		177.00
	Ch:420.00m to Ch: 450.00m		1	30.00	5.60		168.00
	Ch:450.00m to Ch: 453.40m		1	3.40	5.60		19.04
	1st Cross Siddeshwara layout						
	Ch:0.00m to Ch: 30.00m		1	30.00	4.30		129.00
	Ch:30.00m to Ch: 44.60m		1	14.60	4.30		62.78
	2nd Cross Siddeshwara layout						
	Ch:0.00m to Ch: 30.00m		1	30.00	4.35		130.50
	Ch:30.00m to Ch: 41.40m		1	11.40	4.00		45.60
	NMH Kalayana Mantapa Road						
	Ch:1905.00m to Ch: 1910.00m		2	5.00	8.90		89.00
	Ch:1910.00m to Ch: 1940.00m		2	30.00	5.80		348.00
	Ch:1940.00m to Ch: 1970.00m		2	30.00	7.00		420.00
	Ch:1970.00m to Ch: 2000.00m		2	30.00	7.90		474.00
	Ch:2000.00m to Ch: 2030.00m		2	30.00	5.70		342.00
	Ch:2030.00m to Ch: 2060.00m		2	30.00	6.30		378.00
	Ch:2060.00m to Ch: 2090.00m		2	30.00	7.15		429.00
	Ch:2090.00m to Ch: 2120.00m		2	30.00	6.70		402.00
	Ch:2120.00m to Ch: 2150.00m		2	30.00	7.50		450.00
	Ch:2150.00m to Ch: 2157.00m		2	7.00	7.70		107.80
	Ch:2157.00m to Ch: 2163.00m	6.00m	Approch Concrete for SWD Culvert				
	Ch:2163.00m to Ch: 2170.00m	7.00m	SWD Culvert				
	Ch:2170.00m to Ch: 2175.00m	5.00m	Approch Concrete for SWD Culvert				
	Ch:2175.00m to Ch: 2200.00m		2	25.00	5.95		297.50
	Ch:2200.00m to Ch: 2230.00m		2	30.00	6.10		366.00
	Ch:2230.00m to Ch: 2241.40m		2	11.00	8.65		190.30
	Siddeshwara temple road		1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	25.00	6.50		162.50
	Siddeshwara temple 1st Cross		1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
J. Dasarahalli Sub Division
Bagalagunte, BBMP
Bangalore-560073

Sl.	Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
	Siddeshwara temple 2nd cross		1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	30.00	6.50		195.00
			1	19.00	6.50		123.50
						Total Qty	24568.54
						Schedule-B Qty	13720.60
						Upto125% Qty	3430.15
						Above 125% Qty	7417.79
						Total Qty	24568.54

Measurement recorded on: 16/8/21 to 08/11/21

6	KSRRB M500-17. Providing and laying dense graded bituminous macadam using crushed aggregates of specified grading, premixed with VG30 grade bituminous binder and, transporting the hot mix to work site, laying to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MORTH table 500-10 complete in all respects complete as per specifications.. MORTH Specification No. 507 - using 40/60 TPH capacity H.M.P. with Mechanical paver Gr-II (50 mm to 75 mm) with 4.5 % VG-30 Bitumen						
		Cum					
	Ch:0.00m to Ch: 5.00m		1	5.00	15.05	0.05	3.76
	Ch:5.00m to Ch: 35.00m		1	30.00	12.20	0.05	18.30
	Ch:35.00m to Ch: 60.00m		1	25.00	12.70	0.05	15.88
	Ch:60.00m to Ch: 90.00m		1	30.00	11.90	0.05	17.85
	Ch:90.00m to Ch: 120.00m		1	30.00	11.90	0.05	17.85
	Ch:120.00m to Ch: 150.00m		1	30.00	12.70	0.05	19.05
	Ch:150.00m to Ch: 180.00m		1	30.00	11.25	0.05	16.88

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
T. Dasarahalli Sub Division
Bagalagunte, BBMP
Bangalore-560073

Sl.	Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
	Ch:180.00m to Ch: 210.00m		1	30.00	12.90	0.05	19.35
	Ch:210.00m to Ch: 240.00m		1	30.00	10.60	0.05	15.90
	Ch:240.00m to Ch: 270.00m		1	30.00	13.20	0.05	19.80
	Ch:270.00m to Ch: 300.00m		1	30.00	12.10	0.05	18.15
	Ch:300.00m to Ch: 330.00m		1	30.00	12.10	0.05	18.15
	Ch:330.00m to Ch: 360.00m		1	30.00	12.65	0.05	18.98
	Ch:360.00m to Ch: 390.00m		1	30.00	11.00	0.05	16.50
	Ch:390.00m to Ch: 420.00m		1	30.00	12.45	0.05	18.68
	Ch:420.00m to Ch: 428.50m		1	8.50	11.50	0.05	4.89
	Sri Ganesh temple Road						
	Ch:0.00m to Ch: 7.00m		1	7.00	13.15	0.05	4.60
	Ch:7.00m to Ch: 18.00m		1	11.00	12.50	0.05	6.88
	Ch:18.00m to Ch: 30.00m		1	12.00	6.70	0.05	4.02
	Ch:30.00m to Ch: 60.00m		1	30.00	6.30	0.05	9.45
	Ch:60.00m to Ch: 90.00m		1	30.00	6.40	0.05	9.60
	Ch:90.00m to Ch: 120.00m		1	30.00	5.20	0.05	7.80
	Ch:120.00m to Ch: 150.00m		1	30.00	6.80	0.05	10.20
	Ch:150.00m to Ch: 180.00m		1	30.00	6.55	0.05	9.83
	Ch:180.00m to Ch: 210.00m		1	30.00	7.10	0.05	10.65
	Ch:210.00m to Ch: 240.00m		1	30.00	7.10	0.05	10.65
	Ch:240.00m to Ch: 270.00m		1	30.00	6.20	0.05	9.30
	Ch:270.00m to Ch: 274.10m		1	4.10	6.90	0.05	1.41
	For MMH Road						
	Ch:0.00m to Ch: 15.00m		1	15.00	5.65	0.05	4.24
	Ch:15.00m to Ch: 30.00m		1	15.00	6.25	0.05	4.69
	Ch:30.00m to Ch: 60.00m		1	30.00	7.10	0.05	10.65
	Ch:60.00m to Ch: 90.00m		1	30.00	7.00	0.05	10.50
	Ch:90.00m to Ch: 120.00m		1	30.00	6.90	0.05	10.35
	Ch:120.00m to Ch: 150.00m		1	30.00	7.70	0.05	11.55
	Ch:150.00m to Ch: 180.00m		1	30.00	7.40	0.05	11.10
	Ch:180.00m to Ch: 210.00m		1	30.00	6.00	0.05	9.00
	Ch:210.00m to Ch: 221.80m		1	11.80	6.10	0.05	3.60
	5th Cross Road						
	Ch:0.00m to Ch: 30.00m		2	30.00	1.20	0.05	3.60
	Ch:30.00m to Ch: 60.00m		2	30.00	1.20	0.05	3.60
	Ch:60.00m to Ch: 81.00m		2	21.00	1.20	0.05	2.52
	For MHR Layout						
	Ch:0.00m to Ch: 85.00m		0	0.00	0.00	0.00	0.00
	Ch:85.00m to Ch: 90.00m		2	5.00	1.20	0.05	0.60
	Ch:90.00m to Ch: 120.00m		2	30.00	1.20	0.05	3.60
	Ch:120.00m to Ch: 150.00m		2	30.00	1.20	0.05	3.60

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
T. Dasarahalli Sub Division
Bagalagunte, BBMP
Bangalore-560073

Sl No.	Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
	Ch:150.00m to Ch: 180.00m		2	30.00	1.20	0.05	3.60
	Ch:180.00m to Ch: 196.60m		2	16.60	1.20	0.05	1.99
	Ch:196.60m to Ch: 213.60m		2	17.00	1.20	0.05	2.04
	Ch:213.60m to Ch: 240.00m		2	26.40	1.20	0.05	3.17
	Ch:240.00m to Ch: 270.00m		2	30.00	1.20	0.05	3.60
	Ch:270.00m to Ch: 300.00m		2	30.00	1.20	0.05	3.60
	Ch:300.00m to Ch: 330.00m		2	30.00	1.20	0.05	3.60
	Ch:330.00m to Ch: 360.00m		2	30.00	1.20	0.05	3.60
	Ch:360.00m to Ch: 390.00m		2	30.00	1.20	0.05	3.60
	Ch:390.00m to Ch: 420.00m		2	30.00	1.20	0.05	3.60
	Ch:420.00m to Ch: 450.00m		2	30.00	1.20	0.05	3.60
	Ch:450.00m to Ch: 467.50m		2	17.50	1.20	0.05	2.10
	Ch:473.70m to Ch: 500.00m			Road Cross in Swd Drain			
	Ch:500.00m to Ch: 530.00m		2	26.30	1.20	0.05	3.16
	For NMH Gobal School Road		2	30.00	1.20	0.05	3.60
	Ch:0.00m to Ch: 30.00m						
	Ch:30.00m to Ch: 60.00m		1	30.00	5.75	0.05	8.63
	Ch:85.00m to Ch: 90.00m		1	30.00	6.00	0.05	9.00
	Ch:90.00m to Ch: 120.00m		1	5.00	5.90	0.05	1.48
	Ch:120.00m to Ch: 150.00m		1	30.00	6.50	0.05	9.75
	Ch:150.00m to Ch: 180.00m		1	30.00	5.80	0.05	8.70
	Ch:180.00m to Ch: 210.0m		2	30.00	1.20	0.05	3.60
	Ch:210.00m to Ch: 240.00m		2	30.00	1.20	0.05	3.60
	Ch:240.00m to Ch: 270.00m		2	30.00	1.20	0.05	3.60
	Ch:270.00m to Ch: 300.00m		2	30.00	1.20	0.05	3.60
	Ch:300.00m to Ch: 330.00m		2	30.00	1.20	0.05	3.60
	Ch:330.00m to Ch: 360.00m		2	30.00	1.20	0.05	3.60
	Ch:360.00m to Ch: 364.00m		2	30.00	1.20	0.05	3.60
	Ch:364.00m to Ch: 390.00m		2	4.00	1.20	0.05	0.48
	Ch:390.00m to Ch: 420.00m		2	26.00	1.20	0.05	3.12
	Ch:420.00m to Ch: 450.00m		2	30.00	1.20	0.05	3.60
	Ch:450.00m to Ch: 453.40m		2	30.00	1.20	0.05	3.60
	1st Cross Siddeshwara layout		2	3.40	1.20	0.05	0.41
	Ch:0.00m to Ch: 30.00m						
	Ch:30.00m to Ch: 44.60m		2	30.00	1.20	0.05	3.60
	2nd Cross Siddeshwara layout		2	14.60	1.20	0.05	1.75
	Ch:0.00m to Ch: 30.00m						
	Ch:30.00m to Ch: 41.40m		2	30.00	1.20	0.05	3.60
	NMH Kalayana Mantapa Road		2	11.40	1.20	0.05	1.37
	Ch:1905.00m to Ch: 1910.00m						
			2	5.00	1.50	0.05	0.75

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
T. Dasarahalli Sub Division
Bagalagunte, BBMP
Bangalore-560073

Sl.	Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
	Ch:1910.00m to Ch: 1940.00m		2	30.00	1.50	0.05	4.50
	Ch:1940.00m to Ch: 1970.00m		2	30.00	1.50	0.05	4.50
	Ch:1970.00m to Ch: 2000.00m		2	30.00	1.50	0.05	4.50
	Ch:2000.00m to Ch: 2030.00m		2	30.00	1.50	0.05	4.50
	Ch:2030.00m to Ch: 2060.00m		2	30.00	1.50	0.05	4.50
	Ch:2060.00m to Ch: 2090.00m		2	30.00	1.50	0.05	4.50
	Ch:2090.00m to Ch: 2120.00m		2	30.00	1.50	0.05	4.50
	Ch:2120.00m to Ch: 2150.00m		2	30.00	1.50	0.05	4.50
	Ch:2150.00m to Ch: 2157.00m		2	7.00	1.50	0.05	1.05
	Ch:2157.00m to Ch: 2163.00m	6.00m	Approch Concrete for SWD Culvert				
	Ch:2163.00m to Ch: 2170.00m	7.00m	SWD Culvert				
	Ch:2170.00m to Ch: 2175.00m	5.00m	Approch Concrete for SWD Culvert				
	Ch:2175.00m to Ch: 2200.00m		2	25.00	1.50	0.05	3.75
	Ch:2200.00m to Ch: 2230.00m		2	30.00	1.50	0.05	4.50
	Ch:2230.00m to Ch: 2241.40m		2	11.00	1.50	0.05	1.65
	Siddeshwara temple road		2	30.00	1.20	0.05	3.60
			2	30.00	1.20	0.05	3.60
			2	25.00	1.20	0.05	3.00
	Siddeshwara temple 1st Cross		2	30.00	1.20	0.05	3.60
			2	30.00	1.20	0.05	3.60
			2	30.00	1.20	0.05	3.60
			2	30.00	1.20	0.05	3.60
			2	30.00	1.20	0.05	3.60
			2	30.00	1.20	0.05	3.60
			2	30.00	1.20	0.05	3.60
			2	30.00	1.20	0.05	3.60
			2	30.00	1.20	0.05	3.60
			2	30.00	1.20	0.05	3.60
	Siddeshwara temple 2nd cross		2	30.00	1.20	0.05	3.60
			2	30.00	1.20	0.05	3.60
			2	30.00	1.20	0.05	3.60
			2	30.00	1.20	0.05	3.60
			2	30.00	1.20	0.05	3.60
			2	30.00	1.20	0.05	3.60
			2	30.00	1.20	0.05	3.60
			2	30.00	1.20	0.05	3.60
			2	30.00	1.20	0.05	3.60
			2	30.00	1.20	0.05	3.60
			2	30.00	1.20	0.05	3.60
			2	30.00	1.20	0.05	3.60
			2	30.00	1.20	0.05	3.60

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
T. Dasarahalli Sub Division
Bagalagunte, BBMP
Bangalore-560073

Sl.	Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
			2	30.00	1.20	0.05	3.60
			2	30.00	1.20	0.05	3.60
			2	19.00	1.20	0.05	2.28
						Total Qty	726.85
						Schedule-B Qty	165.26
						Upto125% Qty	41.32
						Above 125% Qty	520.27
						Total Qty	726.85

Measurement recorded on: 24/12/21, (20/8/21 to 27/11/21)

KSRRB M500-19. Providing and laying bituminous concrete 40 mm thick with hot mix plant, using crushed aggregates of specified grading, premixed with bituminous binder and filler, transporting the hot mix to work site, laying with a paver finisher to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MORTH specification clause No. 500.9 complete in all respects complete as per specifications. MORTH Specification No. 509 - using40/60 TPH capacity H.M.P. with Mechanical Paver Gr-II (30 mm to 45 mm) with 6 % VG-30 Bitumen

Ch:0.00m to Ch: 5.00m	Cum	1	5.00	15.05	0.04	3.01
Ch:5.00m to Ch: 35.00m		1	30.00	12.20	0.04	14.64
Ch:35.00m to Ch: 60.00m		1	25.00	12.70	0.04	12.70
Ch:60.00m to Ch: 90.00m		1	30.00	11.90	0.04	14.28
Ch:90.00m to Ch: 120.00m		1	30.00	11.90	0.04	14.28
Ch:120.00m to Ch: 150.00m		1	30.00	12.70	0.04	15.24
Ch:150.00m to Ch: 180.00m		1	30.00	11.25	0.04	13.50
Ch:180.00m to Ch: 210.00m		1	30.00	12.90	0.04	15.48
Ch:210.00m to Ch: 240.00m		1	30.00	10.60	0.04	12.72
Ch:240.00m to Ch: 270.00m		1	30.00	13.20	0.04	15.84
Ch:270.00m to Ch: 300.00m		1	30.00	12.10	0.04	14.52
Ch:300.00m to Ch: 330.00m		1	30.00	12.10	0.04	14.52
Ch:330.00m to Ch: 360.00m		1	30.00	12.65	0.04	15.18
Ch:360.00m to Ch: 390.00m		1	30.00	11.00	0.04	13.20
Ch:390.00m to Ch: 420.00m		1	30.00	12.45	0.04	14.94
Ch:420.00m to Ch: 428.50m		1	8.50	11.50	0.04	3.91
Sri Ganesh temple Road						
Ch:0.00m to Ch: 7.00m		1	7.00	13.15	0.04	3.68
Ch:7.00m to Ch: 18.00m		1	11.00	12.50	0.04	5.50
Ch:18.00m to Ch: 30.00m		1	12.00	6.70	0.04	3.22
Ch:30.00m to Ch: 60.00m		1	30.00	6.30	0.04	7.56
Ch:60.00m to Ch: 90.00m		1	30.00	6.40	0.04	7.68
Ch:90.00m to Ch: 120.00m		1	30.00	5.20	0.04	6.24
Ch:120.00m to Ch: 150.00m		1	30.00	6.80	0.04	8.16
Ch:150.00m to Ch: 180.00m		1	30.00	6.55	0.04	7.86
Ch:180.00m to Ch: 210.00m		1	30.00	7.10	0.04	8.52

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
T. Dasarahalli Sub Division
Bagalagunte. BBMP
Bangalore-560073

Sl.	Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
	Ch:210.00m to Ch: 240.00m		1	30.00	7.10	0.04	8.52
	Ch:240.00m to Ch: 270.00m		1	30.00	6.20	0.04	7.44
	Ch:270.00m to Ch: 274.10m		1	4.10	6.90	0.04	1.13
	For MMH Road						
	Ch:0.00m to Ch: 15.00m		1	15.00	5.65	0.04	3.39
	Ch:15.00m to Ch: 30.00m		1	15.00	6.25	0.04	3.75
	Ch:30.00m to Ch: 60.00m		1	30.00	7.10	0.04	8.52
	Ch:60.00m to Ch: 90.00m		1	30.00	7.00	0.04	8.40
	Ch:90.00m to Ch: 120.00m		1	30.00	6.90	0.04	8.28
	Ch:120.00m to Ch: 150.00m		1	30.00	7.70	0.04	9.24
	Ch:150.00m to Ch: 180.00m		1	30.00	7.40	0.04	8.88
	Ch:180.00m to Ch: 210.00m		1	30.00	6.00	0.04	7.20
	Ch:210.00m to Ch: 221.80m		1	11.80	6.10	0.04	2.88
	5th Cross Road						
	Ch:0.00m to Ch: 30.00m		1	30.00	4.40	0.04	5.28
	Ch:30.00m to Ch: 60.00m		1	30.00	3.80	0.04	4.56
	Ch:60.00m to Ch: 81.00m		1	21.00	3.90	0.04	3.28
	For MHR Layout						
	Ch:0.00m to Ch: 85.00m		1	0.00	0.00	0.00	0.00
	Ch:85.00m to Ch: 90.00m		1	5.00	4.65	0.04	0.93
	Ch:90.00m to Ch: 120.00m		1	30.00	4.60	0.04	5.52
	Ch:120.00m to Ch: 150.00m		1	30.00	5.75	0.04	6.90
	Ch:150.00m to Ch: 180.00m		1	30.00	5.00	0.04	6.00
	Ch:180.00m to Ch: 196.60m		1	16.60	5.20	0.04	3.45
	Ch:196.60m to Ch: 213.60m		1	17.00	16.10	0.04	10.95
	Ch:213.60m to Ch: 240.00m		1	26.40	6.40	0.04	6.76
	Ch:240.00m to Ch: 270.00m		1	30.00	5.70	0.04	6.84
	Ch:270.00m to Ch: 300.00m		1	30.00	5.40	0.04	6.48
	Ch:300.00m to Ch: 330.00m		1	30.00	6.70	0.04	8.04
	Ch:330.00m to Ch: 360.00m		1	30.00	7.00	0.04	8.40
	Ch:360.00m to Ch: 390.00m		1	30.00	6.20	0.04	7.44
	Ch:390.00m to Ch: 420.00m		1	30.00	5.10	0.04	6.12
	Ch:420.00m to Ch: 450.00m		1	30.00	5.70	0.04	6.84
	Ch:450.00m to Ch: 467.50m		1	17.50	7.40	0.04	5.18
	Ch:467.50m to Ch: 473.70m		Road Cross in Swd Drain				
	Ch:473.70m to Ch: 500.00m		1	26.30	6.90	0.04	7.26
	Ch:500.00m to Ch: 530.00m		1	30.00	6.50	0.04	7.80
	For NMH Gobal School Road						
	Ch:0.00m to Ch: 30.00m		1	30.00	5.75	0.04	6.90
	Ch:30.00m to Ch: 60.00m		1	30.00	6.00	0.04	7.20
	Ch:85.00m to Ch: 90.00m		1	5.00	5.90	0.04	1.18

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
T. Dasarahalli Sub Division
Bagalagunte, BBMP

Sl.	Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
	Ch:90.00m to Ch: 120.00m		1	30.00	6.50	0.04	7.80
	Ch:120.00m to Ch: 150.00m		1	30.00	5.80	0.04	6.96
	Ch:150.00m to Ch: 180.00m		1	30.00	5.80	0.04	6.96
	Ch:180.00m to Ch: 210.0m		1	30.00	6.40	0.04	7.68
	Ch:210.00m to Ch: 240.00m		1	30.00	6.50	0.04	7.80
	Ch:240.00m to Ch: 270.00m		1	30.00	6.70	0.04	8.04
	Ch:270.00m to Ch: 300.00m		1	30.00	6.00	0.04	7.20
	Ch:300.00m to Ch: 330.00m		1	30.00	6.60	0.04	7.92
	Ch:330.00m to Ch: 360.00m		1	30.00	6.80	0.04	8.16
	Ch:360.00m to Ch: 364.00m		1	4.00	6.80	0.04	1.09
	Ch:364.00m to Ch: 390.00m		1	26.00	6.50	0.04	6.76
	Ch:390.00m to Ch: 420.00m		1	30.00	5.90	0.04	7.08
	Ch:420.00m to Ch: 450.00m		1	30.00	5.60	0.04	6.72
	Ch:450.00m to Ch: 453.40m		1	3.40	5.60	0.04	0.76
	1st Cross Siddeshwara layout						
	Ch:0.00m to Ch: 30.00m		1	30.00	4.30	0.04	5.16
	Ch:30.00m to Ch: 44.60m		1	14.60	4.30	0.04	2.51
	2nd Cross Siddeshwara layout						
	Ch:0.00m to Ch: 30.00m		1	30.00	4.35	0.04	5.22
	Ch:30.00m to Ch: 41.40m		1	11.40	4.00	0.04	1.82
	NMH Kalayana Mantapa Road						
	Ch:1905.00m to Ch: 1910.00m		1	5.00	8.90	0.04	1.78
	Ch:1910.00m to Ch: 1940.00m		1	30.00	5.80	0.04	6.96
	Ch:1940.00m to Ch: 1970.00m		1	30.00	7.00	0.04	8.40
	Ch:1970.00m to Ch: 2000.00m		1	30.00	7.90	0.04	9.48
	Ch:2000.00m to Ch: 2030.00m		1	30.00	5.70	0.04	6.84
	Ch:2030.00m to Ch: 2060.00m		1	30.00	6.30	0.04	7.56
	Ch:2060.00m to Ch: 2090.00m		1	30.00	7.15	0.04	8.58
	Ch:2090.00m to Ch: 2120.00m		1	30.00	6.70	0.04	8.04
	Ch:2120.00m to Ch: 2150.00m		1	30.00	7.50	0.04	9.00
	Ch:2150.00m to Ch: 2157.00m		1	7.00	7.70	0.04	2.16
	Ch:2157.00m to Ch: 2163.00m	6.00m	Approch Concrete for SWD Culvert				
	Ch:2163.00m to Ch: 2170.00m	7.00m	SWD Culvert				
	Ch:2170.00m to Ch: 2175.00m	5.00m	Approch Concrete for SWD Culvert				
	Ch:2175.00m to Ch: 2200.00m		1	25.00	5.95	0.04	5.95
	Ch:2200.00m to Ch: 2230.00m		1	30.00	6.10	0.04	7.32
	Ch:2230.00m to Ch: 2241.40m		1	11.00	8.65	0.04	3.81
	Siddeshwara temple road		1	30.00	6.50	0.04	7.80
			1	30.00	6.50	0.04	7.80
			1	25.00	6.50	0.04	6.50
	Siddeshwara temple 1st Cross		1	30.00	6.50	0.04	7.80

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
T. Dasarahalli Sub Division
Bagalagunte, UBDP
Bangalore

Sl.	Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
			1	30.00	6.50	0.04	7.80
			1	30.00	6.50	0.04	7.80
			1	30.00	6.50	0.04	7.80
			1	30.00	6.50	0.04	7.80
			1	30.00	6.50	0.04	7.80
			1	30.00	6.50	0.04	7.80
			1	30.00	6.50	0.04	7.80
			1	30.00	6.50	0.04	7.80
			1	30.00	6.50	0.04	7.80
	Siddeshwara temple 2nd cross		1	30.00	6.50	0.04	7.80
			1	30.00	6.50	0.04	7.80
			1	30.00	6.50	0.04	7.80
			1	30.00	6.50	0.04	7.80
			1	30.00	6.50	0.04	7.80
			1	30.00	6.50	0.04	7.80
			1	30.00	6.50	0.04	7.80
			1	30.00	6.50	0.04	7.80
			1	30.00	6.50	0.04	7.80
			1	30.00	6.50	0.04	7.80
			1	30.00	6.50	0.04	7.80
			1	30.00	6.50	0.04	7.80
			1	30.00	6.50	0.04	7.80
			1	30.00	6.50	0.04	7.80
			1	19.00	6.50	0.04	4.94
						Total Qty	896.87
						Schedule-B Qty	333.25
						Upto125% Qty	83.32
						Above 125% Qty	480.30
						Total Qty	896.87

Measurement recorded on: 24/12/24

8	KSRRB M800-13.Road Marking with Hot Applied Thermoplastic Compound with Reflectrising Glass Beads on Bituminous Surface:- Providing and laying of hot applied thermoplastic compound 2.5 mm thick including reflectorising glass beads at 250 gms per sqm area, thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC:35. The finished surface to be level, uniform and free from streaks and holes complete as per specifications. MORTH Specification No. 803						
		Sqm					
	Ch:0.00m to Ch: 5.00m		2.5	5.00	0.15		**1.88**
	Ch:5.00m to Ch: 35.00m		2.5	30.00	0.15		**11.25**
	Ch:35.00m to Ch: 60.00m		2.5	25.00	0.15		**9.38**
	Ch:60.00m to Ch: 90.00m		2.5	30.00	0.15		**11.25**
	Ch:90.00m to Ch: 120.00m		2.5	30.00	0.15		**11.25**
	Ch:120.00m to Ch: 150.00m		2.5	30.00	0.15		**11.25**

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
T. Dasarahalli Sub Division
Bangalaguntu, BBMP

Sl.	Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
	Ch:150.00m to Ch: 180.00m		2.5	30.00	0.15		11.25
	Ch:180.00m to Ch: 210.00m		2.5	30.00	0.15		11.25
	Ch:210.00m to Ch: 240.00m		2.5	30.00	0.15		11.25
	Ch:240.00m to Ch: 270.00m		2.5	30.00	0.15		11.25
	Ch:270.00m to Ch: 300.00m		2.5	30.00	0.15		11.25
	Ch:300.00m to Ch: 330.00m		2.5	30.00	0.15		11.25
	Ch:330.00m to Ch: 360.00m		2.5	30.00	0.15		11.25
	Ch:360.00m to Ch: 390.00m		2.5	30.00	0.15		11.25
	Ch:390.00m to Ch: 420.00m		2.5	30.00	0.15		11.25
	Ch:420.00m to Ch: 428.50m		2.5	8.50	0.15		3.19
	Sri Ganesh temple Road						
	Ch:0.00m to Ch: 7.00m		2.5	7.00	0.15		2.63
	Ch:7.00m to Ch: 18.00m		2.5	11.00	0.15		4.13
	Ch:18.00m to Ch: 30.00m		2.5	12.00	0.15		4.50
	Ch:30.00m to Ch: 60.00m		2.5	30.00	0.15		11.25
	Ch:60.00m to Ch: 90.00m		2.5	30.00	0.15		11.25
	Ch:90.00m to Ch: 120.00m		2.5	30.00	0.15		11.25
	Ch:120.00m to Ch: 150.00m		2.5	30.00	0.15		11.25
	Ch:150.00m to Ch: 180.00m		2.5	30.00	0.15		11.25
	Ch:180.00m to Ch: 210.00m		2.5	30.00	0.15		11.25
	Ch:210.00m to Ch: 240.00m		2.5	30.00	0.15		11.25
	Ch:240.00m to Ch: 270.00m		2.5	30.00	0.15		11.25
	Ch:270.00m to Ch: 274.10m		2.5	4.10	0.15		1.54
	For MMH Road						
	Ch:0.00m to Ch: 15.00m		2.5	15.00	0.15		5.63
	Ch:15.00m to Ch: 30.00m		2.5	15.00	0.15		5.63
	Ch:30.00m to Ch: 60.00m		2.5	30.00	0.15		11.25
	Ch:60.00m to Ch: 90.00m		2.5	30.00	0.15		11.25
	Ch:90.00m to Ch: 120.00m		2.5	30.00	0.15		11.25
	Ch:120.00m to Ch: 150.00m		2.5	30.00	0.15		11.25
	Ch:150.00m to Ch: 180.00m		2.5	30.00	0.15		11.25
	Ch:180.00m to Ch: 210.00m		2.5	30.00	0.15		11.25
	Ch:210.00m to Ch: 221.80m		2.5	11.80	0.15		4.43
	5th Cross Road						
	Ch:0.00m to Ch: 30.00m		2.5	30.00	0.15		11.25
	Ch:30.00m to Ch: 60.00m		2.5	30.00	0.15		11.25
	Ch:60.00m to Ch: 81.00m		2.5	21.00	0.15		7.88
	For MHR Layout						
	Ch:0.00m to Ch: 85.00m		2.5	0.00	0.15		0.00
	Ch:85.00m to Ch: 90.00m		2.5	5.00	0.15		1.88
	Ch:90.00m to Ch: 120.00m		2.5	30.00	0.15		11.25

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
T. Dasarahalli Sub Division

Sl No.	Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
	Ch:120.00m to Ch: 150.00m		2.5	30.00	0.15		11.25
	Ch:150.00m to Ch: 180.00m		2.5	30.00	0.15		11.25
	Ch:180.00m to Ch: 196.60m		2.5	16.60	0.15		6.23
	Ch:196.60m to Ch: 213.60m		2.5	17.00	0.15		6.38
	Ch:213.60m to Ch: 240.00m		2.5	26.40	0.15		9.90
	Ch:240.00m to Ch: 270.00m		2.5	30.00	0.15		11.25
	Ch:270.00m to Ch: 300.00m		2.5	30.00	0.15		11.25
	Ch:300.00m to Ch: 330.00m		2.5	30.00	0.15		11.25
	Ch:330.00m to Ch: 360.00m		2.5	30.00	0.15		11.25
	Ch:360.00m to Ch: 390.00m		2.5	30.00	0.15		11.25
	Ch:390.00m to Ch: 420.00m		2.5	30.00	0.15		11.25
	Ch:420.00m to Ch: 450.00m		2.5	30.00	0.15		11.25
	Ch:450.00m to Ch: 467.50m		2.5	17.50	0.15		6.56
	Ch:467.50m to Ch: 473.70m			Road Cross in Swd Drain			
	Ch:473.70m to Ch: 500.00m		2.5	26.30	0.15		9.86
	Ch:500.00m to Ch: 530.00m		2.5	30.00	0.15		11.25
	For NMH Gobal School Road						
	Ch:0.00m to Ch: 30.00m		2.5	30.00	0.15		11.25
	Ch:30.00m to Ch: 60.00m		2.5	30.00	0.15		11.25
	Ch:85.00m to Ch: 90.00m		2.5	5.00	0.15		1.88
	Ch:90.00m to Ch: 120.00m		2.5	30.00	0.15		11.25
	Ch:120.00m to Ch: 150.00m		2.5	30.00	0.15		11.25
	Ch:150.00m to Ch: 180.00m		2.5	30.00	0.15		11.25
	Ch:180.00m to Ch: 210.0m		2.5	30.00	0.15		11.25
	Ch:210.00m to Ch: 240.00m		2.5	30.00	0.15		11.25
	Ch:240.00m to Ch: 270.00m		2.5	30.00	0.15		11.25
	Ch:270.00m to Ch: 300.00m		2.5	30.00	0.15		11.25
	Ch:300.00m to Ch: 330.00m		2.5	30.00	0.15		11.25
	Ch:330.00m to Ch: 360.00m		2.5	30.00	0.15		11.25
	Ch:360.00m to Ch: 364.00m		2.5	4.00	0.15		1.50
	Ch:364.00m to Ch: 390.00m		2.5	26.00	0.15		9.75
	Ch:390.00m to Ch: 420.00m		2.5	30.00	0.15		11.25
	Ch:420.00m to Ch: 450.00m		2.5	30.00	0.15		11.25
	Ch:450.00m to Ch: 453.40m		2.5	3.40	0.15		1.28
	1st Cross Siddeshwara layout						
	Ch:0.00m to Ch: 30.00m		2.5	30.00	0.15		11.25
	Ch:30.00m to Ch: 44.60m		2.5	14.60	0.15		5.48
	2nd Cross Siddeshwara layout						
	Ch:0.00m to Ch: 30.00m		2.5	30.00	0.15		11.25
	Ch:30.00m to Ch: 41.40m		2.5	11.40	0.15		4.28
	NMH Kalayana Mantapa Road						

Contractor

Assistant Engineer

Assistant Executive Engineer

Assistant Executive Engineer
T. Dasarahalli Sub Division
Bagalagunte. BBMP
Bangalore 560073

Sl.	Description of work	Unit	Nos	Length m	Breadth m	Depth m	Quantity
	Ch:1905.00m to Ch: 1910.00m		2.5	5.00	0.15		1.88
	Ch:1910.00m to Ch: 1940.00m		2.5	30.00	0.15		11.25
	Ch:1940.00m to Ch: 1970.00m		2.5	30.00	0.15		11.25
	Ch:1970.00m to Ch: 2000.00m		2.5	30.00	0.15		11.25
	Ch:2000.00m to Ch: 2030.00m		2.5	30.00	0.15		11.25
	Ch:2030.00m to Ch: 2060.00m		2.5	30.00	0.15		11.25
	Ch:2060.00m to Ch: 2090.00m		2.5	30.00	0.15		11.25
	Ch:2090.00m to Ch: 2120.00m		2.5	30.00	0.15		11.25
	Ch:2120.00m to Ch: 2150.00m		2.5	30.00	0.15		11.25
	Ch:2150.00m to Ch: 2157.00m		2.5	7.00	0.15		2.63
	Ch:2157.00m to Ch: 2163.00m	6.00m	Approch Concrete for SWD Culvert				
	Ch:2163.00m to Ch: 2170.00m	7.00m	SWD Culvert				
	Ch:2170.00m to Ch: 2175.00m	5.00m	Approch Concrete for SWD Culvert				
	Ch:2175.00m to Ch: 2200.00m		2.5	25.00	0.15		9.38
	Ch:2200.00m to Ch: 2230.00m		2.5	30.00	0.15		11.25
	Ch:2230.00m to Ch: 2241.40m		2.5	11.00	0.15		4.13
	Siddeshwara temple road		2.5	30.00	0.15		11.25
			2.5	30.00	0.15		11.25
			2.5	25.00	0.15		9.38
	Siddeshwara temple 1st Cross		2.5	30.00	0.15		11.25
			2.5	30.00	0.15		11.25
			2.5	30.00	0.15		11.25
			2.5	30.00	0.15		11.25
			2.5	30.00	0.15		11.25
			2.5	30.00	0.15		11.25
			2.5	30.00	0.15		11.25
			2.5	30.00	0.15		11.25
			2.5	30.00	0.15		11.25
			2.5	30.00	0.15		11.25

Assistant Executive Engineer
T. Dasarahalli Sub Division
Bagalagunte, BBMP
Bangalore-560073

Contractor

Assistant Engineer

Assistant Executive Engineer

Sl No.	Description of work	Unit	Nos	Length m	Breadth m	m	11.25
	Siddeshwara temple 2nd cross		2.5	30.00	0.15		11.25
			2.5	30.00	0.15		11.25
			2.5	30.00	0.15		11.25
			2.5	30.00	0.15		11.25
			2.5	30.00	0.15		11.25
			2.5	30.00	0.15		11.25
			2.5	30.00	0.15		11.25
			2.5	30.00	0.15		11.25
			2.5	30.00	0.15		11.25
			2.5	30.00	0.15		11.25
			2.5	30.00	0.15		11.25
			2.5	30.00	0.15		11.25
			2.5	30.00	0.15		11.25
			2.5	30.00	0.15		11.25
			2.5	30.00	0.15		11.25
			2.5	30.00	0.15		11.25
			2.5	15.00	0.15		5.63
						Total Qty	1172.48
						Schedule-B Qty	279.80
						Upto125% Qty	69.95
						Above 125% Qty	822.73
						Total Qty	1172.48

Assistant Executive Engineer
T. Dasarahalli Sub Division
Bagalagunte, BBMP
Bangalore-560073

Contractor

Assistant Engineer

Assistant Executive Engineer